SECTION 05 FIVE





For further **technical information** on any of our products please **visit our website www.mcalpineplumbing.com**

WC Connectors

Want to feel confident that your WC Connector won't leak? Want a connector that installs and secures easily, and is guaranteed to do the job?

McAlpine WC Connectors have been **consistently rated the best in the market** by installers. The only question is, why would you not use a connector that is **highly recommended** by good trades people across the UK?

WC Connectors

General

- McAlpine is the only European manufacturer to offer EVA (ethylene vinyl acetate), rigid polypropylene and flexible polypropylene WC connectors
- All outlets fit inside diameter pipe sizes as follows:

110mm Plain End	Ring seal socket of 110mm soil or underground pipe and fittings
4"/110mm	PVC-U and cast iron
3½"/90mm	Cast iron
3"/75mm	PVC-U and cast iron

Solutions for all installs with the best range of connectors in the market






Flexible WC Connectors

Inlet size 97-107mm

Product	Code	Closed Length	Extended Length	Outlet Size	1¼" Universal Boss
	WC-F26R	170mm	410mm		
	WC-F23R	140mm	290mm	4"/110mm	
	WC-F18R	100mm	160mm		
	WC-F26RV	180mm	380mm	4"/1100000	
	WC-F23RV	150mm	280mm	4"/110mm	•
	WC-F26S	170mm	410mm		
	WC-F23S	140mm	290mm	3½"/90mm	
	WC-F18S	110mm	160mm		
	WC-F26SV	180mm	380mm		
	WC-F23SV	150mm	280mm	3½"/90mm	~



Flexible WC Connectors 110mm Plain Ended

PRODUCT GUIDE

Product	Code	Closed Length	Extended Length	Outlet Size Plain Ended	1¼" Universal Boss
J	WC-F26P	160mm	380mm	110mm	
	WC-F23P	130mm	260mm	110111111	
	WC-F26PV	170mm	380mm	110mm	
	WC-F23PV	140mm	260mm	110111111	•

90° Flexible WC Connectors

Product	Code	Closed Length	Extended Length	Outlet Size	1¼" Universal Boss
	WC-CON8F18	190mm	270mm	4"/110mm	v
	WC-CON8F	220mm	400mm	4 / 110111111	Ť
	WC-CON8FV	220mm	400mm	4"/110mm	~



Visit Our **Website**

For further technical information on WC Connectors please visit our website www.mcalpineplumbing.com

Flexible Extensions for WC Connectors

Product	Code	Closed Length	Extended Length	Inlet Size	Outlet Size
	EXTA-F	95mm	195mm	110mm	4"/110mm
	EXTB-F	95mm	195mm	110mm	3½"/90mm

WC Connectors for Back to Wall WC Pans

Product	Code	Closed Length	Extended Length	Outlet Size
	WC-F21R	140mm	280mm	4"/110mm
	WC-F21S	140mm	280mm	3½"/90mm
	WC-CON8F18-BTW	170mm	250mm	4"/110mm
	WC-CON8F18-S-BTW	170mm	250mm	3½"/90mm
	WC-CON8F-BTW	230mm	425mm	4"/110mm
	WC-CON8F-S-BTW	230mm	425mm	3½"/90mm
	MAC-1-BTW	50mm	50mm	4"/110mm



Rigid WC Connectors

	Straight 4"/110mm Outlet
	Code: WC-CON1
	Straight 4"/110mm Outlet c/w Vent Boss
	Code: WC-CON1V
	Straight Adjustable Length 4"/110mm Outlet
	Code: WC-CON2
	Straight Adjustable Length 3½"/90mm Outlet
	Code: WC-CON2B
	Straight Adjustable Length 110mm Plain End Outlet
	Code: WC-CON3
	20mm Offset 4"/110mm Outlet
	Code: WC-CON4
	40mm Offset 4"/110mm Outlet
	Code: WC-CON4A



Rigid 90° WC Connectors

PRODUCT GUIDE





Extensions / Cut to Adjust Length



WC Connector Accessories



WC Connector Extension for use with any MACFIT, Rigid or Flexible WC Connector.

Code:

WC-CON-EXT



3½"/90mm Inlet x 4"/110mm Outlet Connector for use with any Rigid or Flexible WC Connector to provide a 1½"/40mm Universal Boss.

Code:

WC-BP1



WC -BP1



In combination with

WC-CON8

(Sold Separately)




MACFIT WC Connectors

 MACFIT WC connectors are manufactured in EVA with synthetic rubber and moulded finned seals

 MACFIT incorporates a patented 'lock ring' inlet seal to give a superior, tighter connection to the WC pan outlet

European Patent
 No. 1655528

Lock ring and synthetic rubber seal



MACFIT WC Connectors

PRODUCT GUIDE

Straight 4"/110mm Outlet
Code: MAC-1
Straight 3½"/90mm Outlet
Code: MAC-3
Straight 3"/75mm Outlet
Code: MAC-3C
20mm Offset 4"/110mm Outlet
Code: MAC-4
40mm Offset 4"/110mm Outlet
Code: MAC-4A
14° Angle 4"/110mm Outlet
Code: MAC-7A



Straight Extensions / Cut to Adjust Length

4"/110mm Outlet	
Code: MAC-EXTA	
3½"/90mm Outlet	
Code: MAC-EXTB	
3"/75mm Outlet	
Code: MAC-EXTC	
Linking Connector (Polypropylene)	
Code: MACLINK	



- Prevents back flow when fitted to WC pans, which are connected to the original configuration of drain and soil pipe on a system and comply with the current building regulations and BS EN12056-2:2000.
- Manufactured in black polypropylene with encapsulated stainless steel mesh.
- **Deters rodents** from entering building through WC.
- For use with any McAlpine rigid or flexible WC connector with 4"/110mm rubber outlet seal.
- Can be installed in horizontal or vertical position

WC Frame Connector Kit



Kit comprises WC connector with 97-107mm Inlet, 4"/110mm outlet, flush pipe with finned seal connector and fixing bolts and caps. Suitable for in-wall WC frames

Code:

FPKIT-3



To fit over Rigid WC Connector with 4"/110mm Rubber Seal Outlet

Code:

WC17-90



To fit over 4"/110mm Soil Pipe or Rigid WC Connectors with Plain **End Outlet**

Code:

WC17-110



To fit over Collar of Flexible WC Connector

Code:

WC17-114



Subscribe to our McAlpine **Plumbing Products** channel



